

Revision Date: 28.09.2018

SAFETY DATA SHEET

According to regulation (EC) n° 1907/2006 Annex II

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Product name: CAF 30 TRANSLUCENT Product No.: PRCO90000172

1.2 Relevant identified uses of the substance or mixture and uses advised against:

Identified uses: Used for making joints, sealing and gluing.

Uses advised against: None known.

1.3 Details of the supplier of the safety data sheet:

Manufacturer:

E-mail: fds.sil@elkem.com

Supplier:

Elkem Silicones Germany GmbH **Telephone:** +49 (0) 451 6 09 81-27 Hans-Sachs-Strasse 4a **Fax:** +49 (0) 451 6 09 81-11

D-23566 Lübeck

1.4 Emergency telephone number: CHEMTREC Switzerland (24h): +(41)-435082011 / National Poison Centre

: 145

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

The product has been classified according to the legislation in force.

Classification according to Regulation (EC) No 1272/2008 as amended.

Health Hazards

Serious eye irritation Category 2 H319: Causes serious eye irritation.

2.2 Label Elements



Signal Word: Warning

Hazard Statement(s): H319: Causes serious eye irritation.

Precautionary Statements

Prevention: P280: Wear protective gloves/protective clothing/eye protection/face

protection.





Version: 9.0 Revision Date: 28.09.2018

Response: P305+P351+P338: IF IN EYES: Rinse cautiously with water for several

minutes. Remove contact lenses, if present and easy to do. Continue

insing.

P337+P313: If eye irritation persists: Get medical advice/attention.

Hazard summary

Physical Hazards: During curing, the product will release small quantities of irritating vapors.

Health Hazards

Inhalation: No specific symptoms noted.

Eye contact: Causes serious eye irritation.

Skin Contact: No specific symptoms noted.

Ingestion: No specific symptoms noted.

Other Health Effects: No other information noted.

Environmental Hazards: Not regarded as dangerous for the environment.

2.3 Other hazards Fulfilling PBT (persistent/bioaccumulative/toxic) criteria Fulfilling vPvB

criteria

Substance(s) formed under the conditions of use:

| Chemical name | Concentration | CAS-No. | EC No. | REACH Registration No | Notes . |
|---------------|---------------|---------|--------|--------------------------|---------|
| Acetic acid | <3% | 64-19-7 | | 01- | # |
| | | | | 2119475328- | |
| | | | | 30-XXXX | |

SECTION 3: Composition/information on ingredients

3.2 Mixtures

General information: Mixture of polydimethylsiloxanes, silica and curing agents.

| Chemical name | Concentration | CAS-No. | EC No. | REACH Registration No. | M-Factor: | Notes |
|--------------------------------|---------------|-----------|-----------|-------------------------------|-----------------------|---------------|
| Methylsilanetriyl triacetate | 1 - <3% | 4253-34-3 | 224-221-9 | 01- 2119987097- 22-XXXX | No data available. | |
| Octamethylcyclotetra siloxane | 1 - <3% | 556-67-2 | 209-136-7 | 01- 2119529238- 36-0002 | No data available. | # PBT vPvB |
| Decamethylcyclopent asiloxane | 0,1 - <1% | 541-02-6 | 208-764-9 | 01- 2119511367- 43-0003 | No data available. | vPvB |
| Dodecamethylcycloh exasiloxane | 0,1 - <1% | 540-97-6 | 208-762-8 | 01- 2119517435- 42-0002 | No data available. | vPvB |

^{*} All concentrations are percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume.





Revision Date: 28.09.2018

This substance has workplace exposure limit(s).

Classification

| Chemical name | Classification | Notes | |
|-----------------------------------|---|--------------------|--|
| Methylsilanetriyl triacetate | Acute Tox. 4 H302; Skin Corr. 1C H314; | No data available. | |
| Octamethylcyclotetrasiloxane | Flam. Liq. 3 H226; Repr. 2 H361f; Aquatic Chronic 4 H413; | No data available. | |
| Decamethylcyclopentasiloxane | None known. | No data available. | |
| Dodecamethylcyclohexasiloxa ne | None known. | No data available. | |

CLP: Regulation No. 1272/2008.

The full text for all H-statements is displayed in section 16.

SECTION 4: First aid measures

General: Get medical attention if symptoms occur. Contaminated clothing to be

placed in closed container until disposal or decontamination.

4.1 Description of first aid measures

Inhalation: Move into fresh air and keep at rest.

Skin Contact: Remove contaminated clothing and shoes. Wash with soap and water.

Eye contact: In the event of contact with the eyes, rinse thoroughly with clean water.

Continue to rinse for at least 15 minutes.

Ingestion: Do not induce vomiting. Rinse mouth thoroughly.

4.2 Most important symptoms and effects, both acute and

delayed:

None known.

4.3 Indication of any immediate medical attention and special treatment needed

Hazards: No specific recommendations.

Treatment: No specific recommendations.

SECTION 5: Firefighting measures

General Fire Hazards: No specific recommendations.

5.1 Extinguishing media

Suitable extinguishing

Extinguish with foam, carbon dioxide or dry powder.

Unsuitable extinguishing

media:

mixture:

media:

Do not use water as an extinguisher.

5.2 Special hazards arising from the substance or

For further information, refer to section 10: "Stability and Reactivity".

SDS_CH - PRCO90000172





Revision Date: 28.09.2018

5.3 Advice for firefighters

Special fire fighting procedures:

Water spray should be used to cool containers.

Special protective

equipment for fire-fighters:

Self-contained breathing apparatus and full protective clothing must be

worn in case of fire.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

6.1.1 For non-emergency

personnel:

Use personal protective equipment. Do not breathe vapor. See Section 8 of

the SDS for Personal Protective Equipment. Ventilate the area.

6.1.2 For emergency

responders:

No data available.

6.2 Environmental Precautions: Collect spillage. Do not discharge into drains, water courses or onto the

ground.

6.3 Methods and material for containment and cleaning

up:

Containers with collected spillage must be properly labelled with correct contents and hazard symbol. Container must be kept tightly closed. Absorb with sand or other inert absorbent. To clean the floor and all objects contaminated by this material, use an appropriate solvent (cf. : § 9) Flush

contaminated by this material, use an appropriate solvent.(cf. : § 9) Flush area with plenty of water. Incinerate in suitable combustion chamber.

6.4 Reference to other

sections:

Caution: Contaminated surfaces may be slippery. For waste disposal, see

Section 13 of the SDS.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Adequate ventilation should be provided so that exposure limits are not

exceeded.

7.2 Conditions for safe storage, including any

incompatibilities:

Avoid discharge into drains, water courses or onto the ground. Store in tightly closed original container. Store in a cool, dry place with adequate ventilation. Keep away from incompatible materials, open flames, and high temperatures. Avoid contact with oxidizing agents. Vulcanizes at room temperature on contact with moisture in the air. For further information, refer to section 10: "Stability and Reactivity". Suitable containers: Steel

drums coated with epoxy-resin.

7.3 Specific end use(s): No data available.

SECTION 8: Exposure controls/personal protection

8.1 Control Parameters

Occupational Exposure Limits

| Chemical name | Туре | Exposure Limit Values | Source |
|------------------------------|------|-----------------------|--------|
| Octamethylcyclotetrasiloxane | VME | 10 ppm 120 mg/m3 | |

Additional exposure limits under the conditions of use

| Chemical name | Туре | Exposure Limit Values | Source |
|---------------|------|-----------------------|--|
| Acetic acid | TWA | 10 ppm 25 mg/m3 | EU. Indicative Exposure Limit Values in Directives 91/322/EEC, 2000/39/EC, 2006/15/EC, 2009/161/EU, 2017/164/EU (12 2009) |



CAF 30 TRANSLUCENT

Version: 9.0

Revision Date: 28.09.2018

| STEL | 20 ppm | 50 mg/m3 | Switzerland. SUVA Grenzwerte am Arbeitsplatz (2009) |
|------|--------|----------|--|
| TWA | 10 ppm | 25 mg/m3 | Switzerland. SUVA Grenzwerte am Arbeitsplatz (2009) |

8.2 Exposure controls

Appropriate Engineering

Controls:

Provide adequate ventilation. Observe Occupational Exposure Limits and minimize the risk of inhalation of vapors. Use engineering controls to

reduce air contamination to permissible exposure level.

Individual protection measures, such as personal protective equipment

General information: Provide sufficient ventilation during operations which cause vapor

formation.

Eye/face protection: Safety Glasses.

Skin protection

Hand Protection: Material: Rubber gloves are recommended.

Other: It is a good industrial hygiene practice to minimize skin contact.

Respiratory Protection: If ventilation is insufficient, suitable respiratory protection must be provided.

Hygiene measures: Provide eyewash station and safety shower.

Environmental Controls: No data available.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

Appearance

Physical state: Paste
Form: Thixotropic
Color: Translucent.
Odor: Vinegar

Odor Threshold:No data available.pH:Not applicableMelting Point:No data available.Boiling Point:No data available.

Flash Point: > 150 °C (Closed cup according to method Afnor T

60103.)

Evaporation Rate:

Flammability (solid, gas):

Flammability Limit - Upper (%):

Flammability Limit - Lower (%):

Vapor pressure:

Vapor density (air=1):

No data available.

No data available.

No data available.

No data available.

Density: Approximate 1,04 kg/dm3 (20 °C)

Solubility(ies)

Solubility in Water: Practically Insoluble
Solubility (other): Acetone: Insoluble
Ethanol: Insoluble

Aromatic hydrocarbons: Partially soluble.

White-spirit.: Partially soluble. Petrol.: Partially soluble.



CAF 30 TRANSLUCENT

Version: 9.0

Revision Date: 28.09.2018

Chlorinated solvents: Partially soluble.

Partition coefficient (n-octanol/water): No data available.

Autoignition Temperature: No data available.

Decomposition Temperature: > 200 °C

Viscosity:No data available.Explosive properties:No data available.

Oxidizing properties: According to the data on the components Not considered

as oxidizing. (evaluation by structure-activity relationship)

9.2 Other information: No data available.

SECTION 10: Stability and reactivity

10.1 Reactivity: Vulcanizes at room temperature on contact with moisture in the air.

10.2 Chemical Stability: Stable at room temperature provided it is not in contact with air.

10.3 Possibility of hazardous

reactions:

No data available.

10.4 Conditions to avoid: No other information noted.

10.5 Incompatible Materials: Strong oxidizing agents. Water.

10.6 Hazardous Decomposition

Products:

Thermal decomposition or combustion may liberate carbon oxides and

other toxic gases or vapors. Amorphous silica. During use or in contact with

water, may generate hazardous substances.

SECTION 11: Toxicological information

Information on likely routes of exposure

Inhalation: No data available.

Ingestion: No data available.

Skin Contact: No data available.

Eye contact: No data available.

11.1 Information on toxicological effects:

Acute toxicity:

Oral:

Product: ATEmix (): 56 755,7 mg/kg

Dermal:


Product: Not classified for acute toxicity based on available data.

Inhalation:

Product: Composition/information on ingredients

Specified substance(s):

octamethylcyclotetrasiloxane LC 50 (Rat, 4 h): > 36 mg/l



Revision Date: 28.09.2018

Decamethylcyclopentasiloxan

е

LC 50 (Rat): 8,67 mg/l

Repeated dose toxicity:

Product: No data available.

Specified substance(s):

Methylsilanetriyl triacetate NOAEL (Rat(Female, Male), Oral): 50 mg/kg Method: OECD 422

Results obtained on a similar product.

NOAEL (Rat(Female, Male), Inhalation - vapor): 0,56 mg/l Method: OECD 413 LOAEL (Rat(Female, Male), Inhalation - vapor): 2,2

mg/l Results obtained on a similar product.

octamethylcyclotetrasiloxane NOAEL (Rat, Inhalation): 1,820 mg/l Method: OECD 453

NOAEL (Rabbit, Dermal): 960 mg/kg Method: OECD 411

Decamethylcyclopentasiloxan NOAEL (Rat, Oral): >= 1 000 mg/kg

NOAEL (Rat, Inhalation - vapor): >= 2,42 mg/l

NOAEL (Rat, Dermal): >= 1 600 mg/kg

Dodecamethylcyclohexasiloxa NOAEL (Rat, Oral): >= 1 000 mg/kg Method: OECD 422

ne NOAEL (Rat, Inhalation - vapor): 0,0182 mg/l Method: OECD 413

Skin Corrosion/Irritation:

Product: Test results

Not irritating Results obtained on a similar product.

Serious Eye Damage/Eye

Irritation:

Product: Test results

Irritant. Results obtained on a similar product.

Respiratory or Skin

Sensitization:

Product: Composition/information on ingredients

Specified substance(s):

Methylsilanetriyl triacetate OECD 406 (Guinea Pig): Not a skin sensitizer.

octamethylcyclotetrasiloxane Guinea Pig: Not a skin sensitizer.

Decamethylcyclopentasiloxane Not a skin sensitizer.

Dodecamethylcyclohexasiloxa

OECD 406 (Guinea Pig): Not a skin sensitizer.

ne





Revision Date: 28.09.2018

Germ Cell Mutagenicity:

In vitro:

Product: Composition/information on ingredients

Specified substance(s):

Methylsilanetriyl triacetate Bacteria (OECD 471): No mutagenic effects.

In vitro gene mutations test on mammalian cells: (OECD 476): No

mutagenic effects. Results obtained on a similar product. Chromosomal aberration (OECD 473): No clastogenic effect.

octamethylcyclotetrasiloxane Bacteria: No mutagenic components identified.

Chromosomal aberration: No mutagenic components identified. In vitro gene mutations test on mammalian cells:: No mutagenic

components identified.

Decamethylcyclopentasiloxa

ne

Chromosomal aberration: No mutagenic components identified.

Bacteria: No mutagenic components identified.

Dodecamethylcyclohexasilox

ane

Mouse lymphoma cells (OECD 476): negative with and without

metabolic activation

Bacteria (OECD 471): negative with and without metabolic activation

In vivo:

Product: No data available.

Specified substance(s):

octamethylcyclotetrasiloxane No effects expected.

Decamethylcyclopentasiloxa

ne

No effects expected.

Dodecamethylcyclohexasilox

ane

Mammalian erythrocyte micronucleus test (OECD 474): No mutagenic

effects.

Carcinogenicity:

Product: Composition/information on ingredients

Specified substance(s):

octamethylcyclotetrasiloxane Rat (, Female, Male, Inhalation): (OECD 453) No effects expected.

Reproductive toxicity:

Product: Composition/information on ingredients

Specified substance(s):

octamethylcyclotetrasiloxane Suspected of damaging fertility.

 ${\sf Dodecamethylcyclohexasilox}$

ane

Based on available data, the classification criteria are not met.

Reproductive toxicity

(Fertility):

Product: Composition/information on ingredients

Specified substance(s):



Elkem

Version: 9.0

Revision Date: 28.09.2018

Methylsilanetriyl triacetate Rat Female, Male (Ingestion): NOAEL (parent): >= 1 000 mg/kg

NOAEL (F1):NOAEL (F2): Method: OECD 422

octamethylcyclotetrasiloxane Fertility study 2 generations. Rat (Inhalation): NOAEL (parent): 3,64

mg/I NOAEL (F1):None. NOAEL (F2): None. Method: OECD 416

Decamethylcyclopentasiloxane Fertility study 2 generations. Rat (Inhalation): NOAEL (parent): 3,64

mg/I NOAEL (F1):None. NOAEL (F2): None. Method: OECD 416

Dodecamethylcyclohexasiloxa

ne

Reproduction/developmental toxicity screening test. Rat (Gavage (Oral)): NOAEL (parent): >= 1 000 mg/kg NOAEL (F1):>= 1 000 mg/kg

NOAEL (F2): Method: OECD 422

Developmental toxicity

(Teratogenicity):

Product: Composition/information on ingredients

Specified substance(s):

octamethylcyclotetrasiloxane Rat (Inhalation): NOAEL (terato): > 6,066 mg/l NOAEL (mater): 3,640

mg/I Method: OECD 414

Dodecamethylcyclohexasiloxa

ne

Rabbit NOAEL (terato): >= 1 000 mg/kg NOAEL (mater): >= 1 000 mg/kg Method: OECD 414 Rat NOAEL (terato): >= 1 000 mg/kg

NOAEL (mater): >= 1 000 mg/kg Method: OECD 414

Specific Target Organ Toxicity - Single Exposure:

Product: No data available.

Specified substance(s):

Dodecamethylcyclohexasilox

ane

Based on available data, the classification criteria are not met.

Specific Target Organ Toxicity - Repeated Exposure:

Product: No data available.

Specified substance(s):

Methylsilanetriyl triacetate Not classified

Dodecamethylcyclohexasiloxa

Based on available data, the classification criteria are not met.

ne

Aspiration Hazard:

Product: No data available.

Specified substance(s):

octamethylcyclotetrasiloxane No effects expected.



Revision Date: 28.09.2018

SECTION 12: Ecological information

General information: Not applicable

12.1 Toxicity:

Acute toxicity:

Fish:

Product: Composition/information on ingredients

Specified substance(s):

LC 50 (96 h): > 100 mg/l Results obtained on a similar product. Methylsilanetriyl triacetate

octamethylcyclotetrasiloxane LC 50 (Oncorhynchus mykiss, 96 h): >= 0,022 mg/l

Aquatic Invertebrates:

Product: Composition/information on ingredients

Specified substance(s):

LC 50 (48 h): > 100 mg/l Results obtained on a similar product. Methylsilanetriyl triacetate

EC 50 (Water flea (Daphnia magna), 48 h): > 0,015 mg/l octamethylcyclotetrasiloxane

Chronic Toxicity:

Fish:

Product: No data available.

Specified substance(s):

octamethylcyclotetrasiloxane NOEC (Oncorhynchus mykiss, 93 d): >= 0,0044 mg/l

Decamethylcyclopentasiloxane NOEC (Oncorhynchus mykiss, 90 d): >= 0.014 mg/l

Aquatic Invertebrates:

Product: Composition/information on ingredients

Specified substance(s):

octamethylcyclotetrasiloxane NOEC (Water flea (Daphnia magna), 21 d): 0,015 mg/l

Dodecamethylcyclohexasiloxan NOEC (Water flea (Daphnia magna), 21 d): >= 0,0046 mg/l

Toxicity to Aquatic Plants:

Product: Composition/information on ingredients

Specified substance(s):

Methylsilanetriyl triacetate EC 50 (96 h): 660 mg/l Results obtained on a similar product.

EC 50 (Green algae (Selenastrum capricornutum), 96 h): > 0,022 mg/l octamethylcyclotetrasiloxane

Dodecamethylcyclohexasilox

NOEC (Algae (Pseudokirchneriella subcapitata), 72 h): >= 0,002 mg/l ane EC 50 (Algae (Pseudokirchneriella subcapitata), 72 h): > 0,002 mg/l

12.2 Persistence and Degradability:

Biodegradation:



Elkem

Version: 9.0

Revision Date: 28.09.2018

Product: The product is not biodegradable.

BOD/COD Ratio:

Product: No data available.

12.3 Bioaccumulative potential:

Product: The product is not bioaccumulating.

12.4 Mobility in soil: No data available.

12.5 Results of PBT and vPvB

assessment:

Composition/information on ingredients

octamethylcyclotetrasiloxane Fulfilling PBT REACH (1907/2006) Ax

(persistent/bioaccumulative/toxic) criteria, Fulfilling vPvB criteria

Decamethylcyclopentasiloxane Fulfilling vPvB criteria REACH (1907/2006) Ax

XIII

XIII

Dodecamethylcyclohexasiloxane Fulfilling vPvB criteria REACH (1907/2006) Ax

XIII

12.6 Other adverse effects: No data available.

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

General information: The user's attention is drawn to the possible existence of local regulations

regarding disposal.

Disposal methods

Disposal instructions: Dispose of waste at an appropriate treatment and disposal facility in

accordance with applicable laws and regulations, and product

characteristics at time of disposal. Incinerate.

Contaminated Packaging: Contaminated packages should be as empty as possible. Dispose of

waste at an appropriate treatment and disposal facility in accordance with applicable laws and regulations, and product characteristics at time of disposal. Recycle following cleaning or dispose of at an authorised

site.

SECTION 14: Transport information

This material is not subject to transport regulations.

Other information: No special precautions.



Revision Date: 28.09.2018

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

15.2 Chemical safety No Chemical Safety Assessment has been carried out.

assessment:

Inventory Status:

Australia AICS: On or in compliance with the inventory. Canada DSL Inventory List: On or in compliance with the inventory. On or in compliance with the inventory. EINECS, ELINCS or NLP: Japan (ENCS) List: On or in compliance with the inventory. China Inv. Existing Chemical Substances: On or in compliance with the inventory. Korea Existing Chemicals Inv. (KECI): On or in compliance with the inventory. Philippines PICCS: On or in compliance with the inventory. **US TSCA Inventory:** On or in compliance with the inventory. New Zealand Inventory of Chemicals: On or in compliance with the inventory. Taiwan Chemical Substance Inventory: On or in compliance with the inventory.

SECTION 16: Other information

Revision Information: Not relevant.

References

PBT PBT: persistent, bioaccumulative and toxic substance. vPvB vPvB: very persistent and very bioaccumulative substance.

Key abbreviations or acronyms used:

No data available.

Key literature references and

sources for data:

No data available.

Wording of the H-statements in section 2 and 3

H226 Flammable liquid and vapor.

H302 Harmful if swallowed.

H314 Causes severe skin burns and eye damage.

H319 Causes serious eye irritation. H361f Suspected of damaging fertility.

H413 May cause long lasting harmful effects to aquatic life.

Training information: No data available.

Classification according to Regulation (EC) No 1272/2008 as amended.

Eye Irrit. 2, H319

Issue Date: 28.09.2018

SDS No.:

Disclaimer: The information given is based on data available for the material, the

components of the material, and similar materials. The information is believed to be correct. It is given in good faith. This information should be used to make an independent determination of the methods to safeguard workers and

the environment.





Revision Date: 28.09.2018